

FIELD OF APPLICATION

- > Product labeling
- > Packaging machines
- > Logistics
- > Pharmaceutics

HIGHLIGHTS / FEATURES / SPECIAL ATTRIBUTES

- Seamless integration into production lines
- **Laser- and thermal printer available**
- Fast timing (from 2 seconds/page delivery)
- > High degree of freedom for programming
- SAP®- and AS/400-compatible (through PCL5 + JetCAPS as well as LAN-IPDS)
- **D** Compatible with standard laser printers



Your Microplex Partner:

MICROPLEX PRINTWARE AG Panzerstraße 5, 26316 Varel Phone: +49 4451 91370 E-Mail: sales@microplex.de www.microplex.de

AMER | MICROPLEX PRINTWARE CORPORATION

30300 Solon Industrial Pkwy Suite E, Solon, OH 44139 Phone: +1 440-374-2424 E-Mail: info@microplex-usa.com www.microplex-usa.com

SUPERIOR PERFORMANCE AND EXCELLENCE

INTEGRATION

MAXIMUM **INTEGRATION** INTO SEAMLESS **INLINE PRODUCTION** PROCESSES

MAXIMUM INTEGRATION INTO SEAMLESS INLINE PRODUCTION PROCESSES





Seamless Integration into Production Lines

Microplex print solutions based on the Microplex Multi Intelligence Controller MPC provides multiple benefits for a seamless integration into intelligent production lines and conveyor systems.

The features of the Microplex controller supports your development of defined timings for your application with a real hardware handshake and optional software signals.

- Real programmable electrical signals (GPI0/SPS-Control)
- Fast integration into systems due to flexible programming features
- > Seamless administration via web interface
- > Fast first printed page

Laser and Thermal Printer

For integration into machinery and plant construction Microplex offers a broad variety of print systems based on laser as well as thermal transfer and direct thermal technology. With Microplex it is easy to find the right print system for your application in terms of reliability, print speed, timing, size and cost effective printing.

> logiJET Flathead Thermal Printer

- logiJET T4-2 - logiJET T6-2 - logiJET T8-3

SOLID Near-Edge Thermal Printer >

- SOLID T4-2 - SOLID T6-2 - SOLID T8-2

SOLID Cut Sheet Laser Printer >

-	SOLID	52A4
-	SOLID	50A3-3
-	SOLID	90A3
-	SOLID	105A3
-	SOLID	120A3

SOLID Thermal Printer with Tractor > Paper Feeding

- SOLID 45ET-2

> **Microplex Print Module**

- 8-inch print module

> Microplex Mobile Printer

- logiJET TM4 - logiJET TM8









SOLID 50A3-3









Multiple Configurations are Possible

Microplex printer with its multi intelligence controller provides multiple configurat possibilities. Via configuration the printers can be adjusted to nearly any applicati requirement.

More than 40 printer emulations can be selected. Every emulation can be fine tuned. Beside software signals via SNMP and Status-Out also electrical signals can be used to control the machinery and establish a real handshake between printer and system

>	Monitoring and control of the print out via electrical sig with 8 input and 8 output channels (GPIO / SPS-Contro
>	Monitoring the printer status via SNMP (Fleet manager
>	Individual feedback messages via data channel (Status
>	User friendly configuration via web panel
>	Modern WiFi interface with all current protocols, secur authentication standards (IEEE 802.1x)

Emulations and Barcodes

Thermal Printer Emulations, i.e.	Laser Printer Emulations, i.e
ZPL II, EPL2, IGP/PGL, Datamax, TEC, IER-Command, Intermec Direct Protocol, LDC, Labelpoint, Etimark MP-1220, cab	PCL5, IGP/PGL, XES, Kyocera Kodescript+, AGFA Reno, LN0 MP6090
Matrix Printer Emulations, i.e.	Further Emulations
IGP/VGL, Epson FX-80, Ansi Genicom, CODE-V, MT-600, IBM Proprinter, IPDS	CUPS-Raster, HPGL, TIFF, Dia Lineprinter, PDF
Two-Width Codes	Multiple-width codes
Codabar, Code39, MSI, Interleaved 2/5,	EAN-8, EAN-13, EAN-128, Add Code 11, Code93, Code 128, U UPC-E
Height-Modulated Codes	2D-Barcodes
Postnet, Planet, KIX, Royalbar,	Aztec-Code, PDF 417, Datama

Individual Firmware Aadaptation

It might be possible that the Microplex printer "as is" does not fit your system requirements 100%. Since Microplex has all development resources in-house, hardware and software, we can define a suitable modification in cooperation with the system integrator in order to match the requirements.

- Individual electrical signals (GPIO / SPS-Control)
- > Hardware modifications of the printers
- > Emulation adaptations to fully support the customers print data
- Σ Adaptation of status messages (Status-Out)

i JET TM











√ microplex

ignals ol)

ement)

is-Out)

urity standards and

e.

a Prescribe. N03+, BULL

iablo 630.

dd-on-Codes, UPC-A.


natrix,











Example for the integration of a SOLID 50A3-3 cut sheet laser printer into a robot system for automatic labeling. The printout of individual data (A4) is done in 3 seconds.